



Antenna Datasheet

Product OC: YECT102WAAH

Version: 1.2

Date: 2024-11-05

Status: Released

Product Name: 5G Terminal Mount External Dipole Antenna

Key Features:

Frequency Band: 600–960 MHz, 1710–2690 MHz, 3300–6000 MHz

Dimensions: 231 mm × 54.5 mm × 14.5 mm

Efficiency: Up to 86 % (FS)

RoHS and REACH Compliant

IP66 (housing)

Overview

YECT102WAAH is a 5G external antenna measuring 231 mm × 54.5 mm × 14.5 mm. This ultra-wide-band 5G antenna provides broad coverage from 600–960 MHz, 1710–2690 MHz, 3300–6000 MHz whilst offering backward-compatibility to support 4G/3G and 2G networks as well as LTE Cat-M and narrowband IoT (NB-IoT). The antenna is terminated with TNC Male connector. Ideal for applications where the antenna is required to be discrete, this low profile, terminal mount omni-directional antenna, is easy to install with maximum durability assured thanks to its IP66 rated, PC enclosure. The YECT102WAAH can be used in harsh environments thanks to its robust UV resistant (UL 746c f1) and flame resistant (UL 94 V-0) enclosure.

The antenna is designed as dipole type to work with various GND plane sizes or in free space for ease of integration with a hinged TNC Male connector to achieve the optimum position. Hinged structure helps to avoid other antennas or objects by rotating to different directions when mounted on terminals. This omni-directional antenna is ideally suited for access points, terminals and routers, high speed video, real-time streaming, public transportation, offering great performance with its high gain and efficiency.

Typical applications include:

- Access points, terminals and routers
- High speed video
- Real-time streaming
- Public transportation

Quectel provides comprehensive antenna design support such as simulation, testing and manufacturing for custom antenna solutions to meet your specific application needs. We have regional R & D centers to offer quick response to meet your requirements. Please contact our sales & FAEs if you have any requests.

Contents

| | |
|---|-----------|
| Overview | 1 |
| Contents | 2 |
| 1 Specification | 3 |
| 1.1. Electrical..... | 3 |
| 1.2. Mechanical & Environmental | 5 |
| 2 Drawing | 6 |
| 3 Detailed Performance | 7 |
| 3.1. S-Parameter Test | 7 |
| 3.1.1. VSWR..... | 7 |
| 3.1.2. Return Loss | 8 |
| 3.2. Radiation Performance Test..... | 9 |
| 3.2.1. Efficiency | 9 |
| 3.2.2. Average Gain | 10 |
| 3.2.3. Peak Gain..... | 11 |
| 3.2.4. 3D & 2D Radiation Pattern..... | 12 |
| 3.2.4.1. Test Condition: In Free Space | 12 |
| 3.2.4.2. Test Condition: On 130 mm × 130 mm EVB | 17 |
| 4 Packaging | 22 |
| Contact Us | 24 |
| Legal Notices | 25 |
| Revision History | 27 |

1 Specification

Test Condition: In Free Space & On 130 mm × 130 mm EVB

1.1. Electrical

| Electrical | |
|-------------------|---|
| Frequency Range | 600–960 MHz, 1710–2690 MHz, 3300–6000 MHz |
| Impedance | 50 Ω |
| Polarization | Linear |
| Radiation Pattern | Omni-directional |

| Electrical – Detail | | | | | | | | | | | | | |
|-----------------------|------|----------------|-------------|---------------------|-------------------|---------------------|------------------|---------------|---------------|---------------|---------------------|---------------|---------------|
| SPEC | Band | Band | B71 | B12 /B13 /B28 | B5 /B8 /B26 | n74 /n75 /n76 | B1 /B2 /B3 | B40 | Wi-Fi 2G | B38 /B41 | B42 /B48 /n77 | n79 | Wi-Fi 5G |
| | | Freq. (MHz) | 600– 700 | 700– 810 | 820– 960 | 1420– 1520 | 1700– 2170 | 2300– 2400 | 2400– 2500 | 2500– 2690 | 3300– 4200 | 4400– 5000 | 5150– 5850 |
| Max. VSWR | FS | | 1.5 | 1.3 | 1.7 | - | 2.5 | 1.3 | 1.2 | 1.5 | 1.9 | 1.3 | 1.4 |
| | EVB | | 1.8 | 1.7 | 2.6 | - | 2.5 | 1.6 | 1.3 | 1.2 | 1.9 | 1.8 | 3.3 |
| Max. Return Loss (dB) | FS | | -13.7 | -17.8 | -11.9 | - | -7.5 | -18.3 | -21.1 | -13.9 | -10.1 | -17.4 | -14.9 |
| | EVB | | -10.6 | -11.7 | -7.0 | - | -7.3 | -12.5 | -17.1 | -21.0 | -10.1 | -10.7 | -5.4 |
| AVG Eff. (%) | FS | | 66.4 | 70.6 | 56.2 | - | 65.5 | 80.4 | 73.3 | 77.6 | 69.4 | 66.3 | 59.5 |
| | EVB | | 60.8 | 79.0 | 75.2 | - | 69.7 | 74.5 | 72.4 | 72.0 | 67.1 | 57.7 | 51.9 |
| AVG AVG Gain (dB) | FS | | -1.8 | -1.5 | -2.5 | - | -1.8 | -0.9 | -1.3 | -1.1 | -1.6 | -1.8 | -2.3 |
| | EVB | | -2.2 | -1.0 | -1.3 | - | -1.6 | -1.3 | -1.4 | -1.4 | -1.7 | -2.4 | -2.9 |
| Max. Peak Gain (dBi) | FS | | 1.5 | 1.1 | 1.7 | - | 1.5 | 3.7 | 3.4 | 4.0 | 5.3 | 5.5 | 4.2 |
| | EVB | | 0.1 | 1.5 | 1.4 | - | 3.1 | 4.2 | 4.3 | 4.3 | 3.5 | 4.0 | 4.1 |
| VSWR | FS | | ≤ 2.5 | | | | | | | | | | |

| | | |
|------------------|------------|----------------|
| | EVB | ≤ 3.3 |
| Return | FS | ≤ -7.5 dB |
| Loss | EVB | ≤ -5.4 dB |
| Peak Gain | FS | ≤ 5.5 dBi |
| | EVB | ≤ 4.3 dBi |


Note:

- FS: In Free Space
- EVB: On 130 mm × 130 mm EVB

1.2. Mechanical & Environmental

| Mechanical | |
|--------------------------------|---|
| Antenna Dimensions | 231 mm × 54.5 mm × 14.5 mm |
| Casing Material & Color | PC & Black |
| Connector Type | TNC Male |
| Mounting Type | Terminal |
| Weight | Typ. 85 g |
| Environmental | |
| Operation Temperature | -40 °C to +85 °C |
| Storage Temperature | -40 °C to +85 °C |
| Ingress Protection (IP) Rating | Antenna plastic housing could meet IP66 |
| RoHS & REACH Compliant | Yes |
| Housing Flame Rating | UL 94 V-0 |
| Housing UV Resistant | UL 746c f1 |


2 Drawing



3 Detailed Performance

3.1. S-Parameter Test


3.1.1. VSWR



VSWR

| Frequency (MHz) | 600 | 630 | 710 | 820 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|-----------------|------|------|------|------|------|------|------|------|------|------|
| FS | 1.5 | 1.2 | 1.2 | 1.3 | 1.3 | 1.7 | - | 1.6 | 1.8 | 2.4 |
| EVB | 1.8 | 1.7 | 1.3 | 2.0 | 2.6 | 1.7 | - | 2.5 | 2.5 | 1.8 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 3600 | 4700 | 5000 | 5500 | 6000 |
| FS | 2.3 | 1.6 | 1.2 | 1.1 | 1.4 | 1.8 | 1.2 | 1.2 | 1.4 | 1.8 |
| EVB | 1.6 | 2.1 | 1.5 | 1.2 | 1.2 | 1.9 | 1.6 | 1.8 | 2.2 | 4.9 |

3.1.2. Return Loss




Return Loss (dB)

| Frequency (MHz) | 600 | 630 | 710 | 820 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| FS | -13.7 | -20.7 | -19.9 | -17.7 | -17.1 | -11.9 | - | -12.5 | -10.8 | -7.5 |
| EVB | -10.6 | -11.9 | -18.7 | -9.7 | -7.2 | -11.9 | - | -7.5 | -7.4 | -10.9 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 3600 | 4700 | 5000 | 5500 | 6000 |
| FS | -8.3 | -12.5 | -19.8 | -24.5 | -15.6 | -11.1 | -19.6 | -20.8 | -16.1 | -10.8 |
| EVB | -12.8 | -8.8 | -14.4 | -19.6 | -21.3 | -10.2 | -13.1 | -10.7 | -8.5 | -3.6 |

3.2. Radiation Performance Test


3.2.1. Efficiency



Efficiency (%)

| Frequency (MHz) | 600 | 630 | 710 | 820 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|-----------------|------|------|------|------|------|------|------|------|------|------|
| FS | 70.4 | 65.8 | 72.3 | 61.6 | 55.4 | 52.2 | - | 74.3 | 70.6 | 59.3 |
| EVB | 54.1 | 64.0 | 71.2 | 75.0 | 73.9 | 82.7 | - | 66.5 | 66.2 | 67.9 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 3600 | 4700 | 5000 | 5500 | 6000 |
| FS | 68.2 | 63.7 | 80.2 | 72.3 | 79.2 | 67.5 | 61.4 | 78.6 | 54.3 | 46.2 |
| EVB | 82.0 | 59.9 | 74.3 | 68.2 | 72.3 | 63.9 | 63.2 | 53.1 | 50.8 | 32.9 |


3.2.2. Average Gain



Average Gain (dB)

| Frequency (MHz) | 600 | 630 | 710 | 820 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|-----------------|------|------|------|------|------|------|------|------|------|------|
| FS | -1.5 | -1.8 | -1.4 | -2.1 | -2.6 | -2.8 | - | -1.3 | -1.5 | -2.3 |
| EVB | -2.7 | -1.9 | -1.5 | -1.3 | -1.3 | -0.8 | - | -1.8 | -1.8 | -1.7 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 3600 | 4700 | 5000 | 5500 | 6000 |
| FS | -1.7 | -2.0 | -1.0 | -1.4 | -1.0 | -1.7 | -2.1 | -1.0 | -2.7 | -3.3 |
| EVB | -0.8 | -2.2 | -1.3 | -1.7 | -1.4 | -1.9 | -2.0 | -2.8 | -2.9 | -4.8 |

3.2.3. Peak Gain



Peak Gain (dBi)


| Frequency (MHz) | 600 | 630 | 710 | 820 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|-----------------|------|------|------|------|------|------|------|------|------|------|
| FS | 1.1 | 1.4 | 0.9 | 0.7 | 1.6 | 1.2 | - | 1.5 | 1.0 | 0.3 |
| EVB | -1.2 | -0.3 | 0.4 | 1.4 | -0.8 | 0.4 | - | 1.6 | 1.5 | 2.3 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 3600 | 4700 | 5000 | 5500 | 6000 |
| FS | 0.6 | 0.7 | 3.3 | 3.3 | 3.7 | 2.9 | 2.6 | 5.5 | 3.2 | 2.8 |
| EVB | 2.7 | 1.3 | 3.6 | 3.6 | 3.9 | 2.0 | 3.8 | 3.4 | 1.0 | -0.4 |


3.2.4. 3D & 2D Radiation Pattern


3.2.4.1. Test Condition: In Free Space


- Test Chamber: GL-S-1















3.2.4.2. Test Condition: On 130 mm × 130 mm EVB


- Test Chamber: GL-S-1













4 Packaging

| Step | Packaging Picture/2D Picture | Description |
|------|---|---|
| 1 |  | <p>Put the product in a one-piece bag. Each one-piece bag contains 10 products</p> |
| 2 |  | <p>10 pcs antenna products in a PE bag. (10 PCS / PE Bag)</p> <p><u>PE Bag Size: L × W = 320 × 220 mm</u></p> |
| 3 |  | <p>(10 PE Bags / Carton Box) (100 PCS Antennas / Carton Box)</p> <p><u>Carton Size:</u> <u>L × W × H = 405 × 293 × 185 mm</u></p> |

| | | |
|---|---|--|
| 4 |  | <p>Position for Attaching Labels</p> <ul style="list-style-type: none">① Carton Label② Quality Label |
| 5 |  | <p>Sealing Cartons</p> <p>“I” type sealing cartons</p> |

Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local offices. For more information, please visit:

<http://www.quectel.com/support/sales.htm>.

For technical support, or to report documentation errors, please visit:

<http://www.quectel.com/support/technical.htm>.

Or email us at: support@quectel.com.

Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an “as available” basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties (“third-party materials”). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2024. All rights reserved.

Revision History

| Version | Date | Author | Note |
|---------|------------|--|--|
| - | 2024-05-11 | Mordecai LIU/ Hart HU/ David LIU/ Rainey LIAO | Creation of the document |
| 1.0 | 2024-05-11 | Mordecai LIU/ Hart HU/ David LIU/ Rainey LIAO | First official release |
| 1.1 | 2024-09-25 | Rainey LIAO | Updated antenna picture (Homepage and Chapter 3.2.4). |
| 1.2 | 2024-11-05 | Shea LI/ Rainey LIAO | <ol style="list-style-type: none">1. Updated the overview.2. Added housing flame rating and housing UV resistant (Chapter 1.2).3. Updated Chapter 2. |

QUECTEL

www.quectel.com